CLAIMS LISTING

1-33 (Cancelled)

- 34. (Currently Amended) A product display system comprised of
 - a display shelf;
 - a first display base section comprising
 - a bottom surface, such that the <u>first</u> display base <u>section</u> may be <u>is</u> placed on the display shelf, and at least a portion of the bottom surface is in contact with the display shelf,
 - a front edge,
 - a first side edge,
 - a second side edge,
 - a rear edge, and
 - a plurality of ridges comprising
 - a first ridge extending from the proximity of the front edge to the proximity of the rear edge,
 - a second ridge extending from the proximity of the front edge to the proximity of the rear edge,
 - a first pull member channel located between the first ridge and the second ridge,
 - a third ridge extending from the proximity of the front edge to the proximity of the rear edge,
 - a fourth ridge extending from the proximity of the front edge to the proximity of the rear edge,
 - a second pull member channel located between the third ridge and the fourth ridge; and
 - an active alignment device comprising a housing, the housing comprising
 - a first leg inserted in the first pull member channel, and
 - a second leg inserted in the second pull member channel.

positioned in the first pull member channel and in the second pull member channel.

- 35. (Currently Amended) The product display system of claim 34 wherein the active alignment device further comprises
 - a rear product engagement section which travels within the housing; and a drive means for pushing the rear engagement section.
- 36. (Previously presented) The product display system of claim 34 wherein the first display base section has a top surface; and a second display base section overlaps the first side edge of the first display base section, thereby extending the display base area.
- 37. (Currently Amended) The product display system of claim 34 further comprising at least one front stop positioned in proximity to a portion of the front edge of the first display base section. a row, such that the front stop the engage a portion of the first product in the row thereby restraining the product in the row.
- 38. (Currently Amended) The display base of claim 34 further comprising a plurality of pre-formed bend markings so that <u>the</u> base can be bent along a selected bend marking.
- 39. (Canceled)
- 40. (Previously presented) The display base of claim 35 wherein the housing further comprises
 - a first channel, and
 - a second channel; and

the rear product engagement section further comprises

a first slide member which slides in the first channel, and

a second slide member which slides in the second channel.

- 41. (Currently Amended) The display base of claim 35 wherein the drive means comprises a spring means.
- 42. (Previously presented) The display base of claim 35 wherein the drive means comprises an elastic member.
- 43. (Currently Amended) The display base of claim 34 36 further comprising a first display shelf section comprising
 - a first snap feature along the first side edge, and
 - a second snap feature along the second side edge; and
 - a second display shelf section comprising
 - a first snap feature along the first side edge, and
 - a second snap feature along the second side edge, such that the first snap feature of the first base section <u>may is</u> snap<u>ped</u> over the second snap feature of the second base section.
- 44. (Amended) The display base of claim 34 further comprising a front stop element which may be positioned in proximity to the front edge of the display base section, the front stop element comprising
 - a front cover plate [;] , and
 - a <u>first</u> projection attached to the front cover plate and inserted into the first and second-pull member channels in the display base, and a second projection attached to the front cover plate and inserted into the second
 - pull member channel.
- 45. 47. (Canceled)